

**Oil Rigs Now
Houston, Texas
713-570-6450**

DRAWWORKS:

**SUPERIOR 1000M New (2006) Single Drum Drawworks, 1,000 Hp
Lebus grooved for 1-1/4" Drilling Line, Air operated Makeup
& Breakout Catheads, Over-Running Clutch, Air
Driller's Console, Crown-O-Matic, Right Angle drive for rotary table.**

COMPOUND:

**2-Engine, In-Line Compound, w/ Right Angle Drive RT
Box For rotary & Draw works drive.**

BRAKE:

PARMAC Dual V-80 Hydromatic Brake coupled together

DRAWWORKS POWER:

**No. 1 – CATERPILLAR C-18 Diesel Engine S/N# WJH01728,
600 Hp Rated, w/24 Volt Electric Start, Radiator, Gauges,
OILWORKS C-195-100 Torque Converter S/N3444**

Air clutch

Hours# 21,597

**No. 2 – CATERPILLAR C-18 Diesel Engine S/N# WJH01706,
600 Hp Rated, w/24 Volt Electric Start, Radiator, Gauges,
OILWORKS C-195-100 Torque Converter S/N1616**

Air clutch

Hours# 21,664

MAST:

**DRILLMASTER New 2008 SN#07632 20'1 1"W x 136'H Cantilever Mast,
With a Gross Nominal Capacity of 930,000 Lbs. and a**

**650,000 Lb. Static Hook Load, Max wind 91 Knots,
with ten (10) lines. Crown Block w/ (5)42" Sheave Cluster &
1-56" Fast line Sheave grooved for 1-1/4" diameter drilling line.**

Each Crown Sheave wire rope groove is flame hardened.

Each Crown Sheave is fitted with Timken roller bearings and grease seals.

**Derrick complete with Crown Safety Platform, 20 finger Racking Board W/ electric mule,
Bridal Lines, Tong Counter Weights, Survey Line Sheaves,
Tugger Sheaves, Ladder, Derrick Climber, Geronimo line,
4" Standpipe & Manifold and
Derrick Stand.**

Last Certification 8/23/2012

SUBSTRUCTURE:

DRILLMASTER New (2009) 29'10"W x 20'H x 48'8"L
(4) Box-On-Box Substructure w/ Rotary Beams, V-Door Ramp,
Stairs, (2) Air Receiver Tanks, NATIONAL Deadline Anchor,
Safety Rails, inside Catwalk Trolley, 7'W x 14'L built in Tool
Room (ODS) (3) Stairs, Outside wall Winterized, Jacking door,
12' X 12' Setback spreader, internal stairway, Vapor proof lighting,
Skidded with oilfield tail rolls

PUMP: (Primary)

HT F-1000 Triplex Mud Pump New 2006,
S/N HT 20060088, 1,000Hp.
w/ LANZOU Pulsation Dampener S/N HT20060070,
MF 5,000 Psi. Pressure Gauge
FIVE STAR 6"x8"x14" Charging Pump S/N5268 p/b TECO 75 Hp. Electric Motor,
Chinese 3" Shear Relief Valve, Master Skidded w/ (2) Engines belt compound

PUMP POWER

CATERPILLAR C-18 Diesel Engine S/N WJHO1283,
575 HP w/24 Volt Electric Start, Radiator, Gauges,
V-Belt Drive EATON 18CB500 Air Flex Clutch,
Mounted Pump Master Skid.

Hours # 17,376

CATERPILLAR C-18 Diesel Engine S/N WJH01322,
575 HP w/ 24 Volt Electric Start, Radiator, Gauges,
V-Belt Drive EATON18CB500 Air Flex Clutch,
Mounted Pump Master Skid

Hours#16,277

PUMP (Secondary)

HT F-1 000 Triplex Mud Pump New 2006,
S/N HT 20060070, 1,000 Hp.
w/ LANZHOU Pulsation Dampener S/N HT20060069,
MF 5,000 Psi. Pressure Gauge
FIVE STAR 6" x 8" x14" Charging Pump S/N5268 p/b WORLDWIDE 75 Hp. Electric motor,
3" Shear Relief Valve, Master Skidded w/ (2) Engine belt compound

PUMP POWER

CATERPILLAR C-18 Diesel Engine S/N WJH-00457,
575 HP w/ 24 volt Electric Start, Radiator, Gauges,
V-Belt Drive, EATON 18CB500 Air Flex Clutch,
Mounted pump Master Skid.

Hours#13,788

CATERPILLAR C1-8 Diesel Engine S/N WJH-00373,
575 HP w/ 24 Volt Electric Start, Radiator, Gauges,
V-Belt Drive, EATON 18CB500 Air Flex Clutch,
Mounted Pump Master Skid.

Hours#16,643

ROTATING EQUIPMENT:

ROTARY TABLE

Chinese ZP 27-1/2", New 2006, complies with API split master bushings,
W/ drive shaft coupling.

SWIVEL

Ideco 300

KELLY

5-1/4" x 42' Hex Kelly W/ HDS Kelly Drive Bushing

KELLY SPINNER

OWI 1500 Kelly Spinner S/N 00475B w/ (2) Air Motors, New

KELLY VALVES

Upper Kelly Valve.

Lower Kelly Valve

TRAVELING EQUIPMENT

Sentry Rig Equipment Company

260 Ton Capacity New 2006

4G260 Traveling Block w/ (5) 36" Sheaves, 1-1/4" Line,

Unitized "Hydra-Hook" 260 Ton Capacity

BLOWOUT PREVENTER and VALVES

1 EACH -13-5/8" X 5000# Jiangsu Xianzhong Petroleum

Double Gate BOP, Top & Bottom Stud configuration

Including - 1set of 5" Pipe Rams Blocks & 1set of Blind Rams,

With 2 - 4" outlets on each side of Body of BOP

1 EACH - 13-5/8" Jiangsu Xianzhong Petroleum ANNULAR BOP

Includes rubber element

1 EACH - 13 5/8" X 5000# Type D DRILLING SPOOL W/ - 2" SIDE OUTLET & 3" SIDE OUTLET

[MATCHED TO CHOKE MANIFOLD

1 EACH - CHOKE MANIFOLD - 3" X 5000# COMPLETE

INC - STEEL FLEX LINE W/ FLANGES TO CONNECT

TO BOPS OR DRILLING SPOOLS

CLOSING UNIT

2008 Jiangsu Xianzhong Petroleum Model FXQ640-6

Closing Unit Accumulator, 6 Station,

Rig Floor Controls and monitor panel,

Complete W/ 15 Bottles, 30 HP Cat 3517 Charge Pump, 21 Air Pumps, & set up for Nitrogen Bottle Backup

Suitcase Closing Unit Skid 7'-1 0" x 35' with junk basket

CHOKE MANIFOLD and VALVES

Jiangsu Xianz hong Petroleum Choke Manifold w/ (1) 5-Way Cross, (3) 4-1/16" x 5M Gate Valves, (4) 2-9/16" x 5M Gate Valves, (1) Manual Adjustable Chokes, Hydraulic Adjustable Chokes, Mounted Oil Field Skid. W/ 2 Kill Valves- & 2-Choke Valves mounted at drilling spool

RIG HOUSES:

**Dog House, DRILLMASTER 9' 1 1"W x 39' 1 1"L
Doghouse / Change house Combination w/ 17'5"L
Driller's House w/ Knowledge Box (5) Lockers, Bench Storage, Heater, Lights.
5'L Breezeway, 1 7'5"L Change House, w/Bench Storage, (16-Lockers, Cabinets, Heater & Lights. Oil Field Skidded.**

GENERATOR/UTILITY HOUSES

**DRILLMASTER 1 1'10"W x 37'9"L x 11' 6" T
Utility House w/Lights, Oil Field Skidded to include the following items.**

**No #1 380 Kw. AC CATERPILLAR Generator Package Powered by Caterpillar C-15 Diesel Engine S/N JRE01986 w/ 24 Volt Electric Start, Radiator, HD Air cleaner Gauges. Marathon 572RSL4025 Generator End SN# 550989-0506, complete with Oil Field skid.
Hours# 17,278**

**No #2 380 Kw. AC CATERPILLAR Generator Package Powered by Caterpillar C-15 Diesel Engine S/N JRE01985 w/ 24 Volt Electric Start, Radiator, HD Air cleaner Gauges. Marathon 572RSL4025 Generator End SN# 550989-0507, complete with Oil Field skid.
Hours# 16,933**

**NO. 1 GARDNER-DENVER EBE99N New 2006
Electro Saver II Rotary Screw Air Compressor S/N# S237421,
P/b TOSHIBA 30 Hp. Electric Motor, Mounted 240 Gallon Horizontal Tank.
Hours# 15,128**

**NO. 2 GARDNER-DENVER EBE99N New 2006
Electro Saver II Rotary Screw Air Compressor S/N# S237419,
P/b TOSHIBA 30 Hp. Electric Motor, Mounted 240 Gallon Horizontal Tank.
Hours# 14,400**

SIEMENS Interlock Panel, 600 Amp 480 Volt Main Lockout Disconnects breakers.

ALLEN BRADLEY Electrical Load center with magnetic starter & breakers,

SQUARE D 225 amp 240 volt panel with breakers

SQUARE D 75KVA Transformer 480 volt to 240 volt

DRILLMASTER 7'9"W x 13"H x 43'1"L Electrical Suitcase.

DRILLMASTER 2'5"W x 1 3"H x 36'3"L Electrical Suitcases.

**MUD SYSTEM: DRILLMASTER 9'6"W x 7'H x 34'5"L, 394 Bbl. Suction Tank
10'L Covered Porch, (3) Compartments,
(3) MAX 2000 Mud Agitators p/b TECO 25 Hp. Electric Motors,
Sloped Bottom, Top Mounted Walkways, Safety Rails, Lights, Oil Field Skidded.
FIVE STAR 6"x8"x14" Centrifugal Mixing Pump S/N 5284, p/b BALDOR 75 Hp. Electric Motor.
FIVE STAR 6"x8"x14" Centrifugal Mixing Pump S/N 5284, p/b BALDOR 75 Hp. Electric Motor.
With internal jetting system, 3 dump gates,**

**DRILLMASTER 9'6"W x 7'H x 34'7"L, 394 Bbl. Shaker Tank
10'L Covered Porch, (3) Compartments
MAX 2000 Mud Agitator Agitators p/b TECO 25 Hp. Electric Motors,
Sloped Bottom, Top Mounted Walkways, Safety Rails, Lights, Skidded.
With internal jetting system, 3 dump gates,**

**FIVE STAR 6"x8"x14" Centrifugal Mixing Pump S/N 5269,
p/b BALDOR 75 Hp. Electric Motor.**

**FIVE STAR 6"x8"x14" Centrifugal Mixing Pump S/N 5283,
p/b BALDOR 75 Hp. Electric Motor.**

**SHALE SHAKER, Fluid Systems Inc., Single Screen,
Linear Motion Shale Shaker S/N2450,**

**SHALE SHAKER, Fluid Systems Inc., Single Screen,
Linear Motion Shale Shaker S/N3089,**

NOI DSN-ZH-10CTX Desander S/N 8714-5732,w/ (2) 10" Cones.

NOI DSL-10GG-4CTX Desilter S/N 8714-5731,w/ (10)4" Cones.

DRILCO "Deep Pit" Degasser p/b TECO 10 Hp. Electric Motor

Bubble Buster: Geothermal Type Bubble Buster

MUD HOUSE

**DRILLMASTER 9' 1 1"W x 26'L Mud House w/Mud Hopper, Test Sink, Ventilation Fan, Electric Heater,
Lights, Double Side Door, (2) End Doors, Skidded. Includes 7'H Tri-Stand on one end the other end
sets on suction tank.**

FUEL TANK

**DRILLMASTER 7'1 1"Wx8'Hx30'L, 13,860 Gallon Fuel Tank
w/ (2) AMT 1/2 Hp. Fuel Transfer Pumps p/b BALDOR 1/2 Hp. Electric Motors,
with Three (3)Compartment, Combo Lubester Oilfield Skidded.**

WATER TANK

**DRILLMASTER 10'10"W x 8'1"H x 35'L, 529 Bbl. Water Tank
w/ 10'L Covered Extension, Pump Room, OilField Skidded
FIVE STAR 3"x4"x1 1" Centrifugal Water Pump
S/N 5420, p/b TECO 20 Hp. Electric Motor.
FIVE STAR 3"x4"x1 1" Centrifugal Water Pump
S/N5267, p/b TECO 20 Hp. Electric Motor.**

INSTRUMENTATION

**Weight Indicator
Mud Gauges.**

ANCILLARY EQUIPMENT

DRILLMASTER 5'W x 2'4"H x 60'L, 2-Section Catwalk w/ Steel Deck and stands for string blocks.

Pipe Racks 5 Sets 29" x 30' 1 set 29" x 12' 1 set 41" x 30'

FIVE STAR "Retriever" Electric Measuring Device S/N 862, w/ 15,000 Ft. of. 092 Wire line

2 sets drill pipe elevators 5"

2 sets of drill pipe slips 5"

2 sets of drill collar slips 7" & 9"

2 sets tongs with all head for pipe & casing

2 sets of safety clamps

Mud box with 5" rubbers

108" X 4" elevator bails

Crossover, bottom hole, lifting Subs

Air Hoist Air Wrench, Model HUL40, S/N-REM10370, 9000 lb. Pull Rating

Air Hoist Air Wrench, Model KSUL, S/N-REM13962, 10,500 lb. Pull Rating

4,000 Ft. of 1-1/4" Drill Line, Mounted Spooler Stand

3-1/2" X 5,000 Psi. Rotary Hose

Vibrator Hose 2 Each 3 1/2" x 18'

Rat hole

Mouse hole

8 rig matting boards

Small hand tools & wrenches

Fluorescent & Mercury-Vapor Rig Lights & Wiring Explosion proof

Atco Office/ living shack all electric w/ oil field skid